

# VEGA

DIGITAL CAMERA



# DIGITAL CAMERA

ITEM	SPECIFICATIONS
Sensor	1/2.8" 6.0 MP Color CMOS
Active area	5.70mm x 4.28mm
Sensor resolution	Dynamic 1920x1080 pixels Static 3264x1836 pixels
Pixel size	2.7µm x 2.7µm
A/D conversion	24 Bit RGB
Pixel clock	48 MHz
Dynamic range	65 dB
Max. exposure	1ms-10s auto/manual, white balancing
Frame rate	30 fps (@1080p)
Image processing	High speed dual FPGA, progressive scan, advanced noise reduction
Interface	USB 3.0, HDMI, SD card, mouse control
Optical connection	C-mount
Voltage supply	AC power (universal)
Power indication	Green LED indicating power on and ready for capture
Measurement	Geometric and axial, calibration
Ambient conditions	Operating Temperature: 0-60°C Humidity: 45-85%
Software requirements	Microsoft Windows (XP and later versions) / Linux / Mac

Labo America, Inc.  
920 Auburn Court  
Fremont, CA 94538

Tel: (510) 445-1257  
Fax: (510) 445-1317  
E-mail: [sales@laboamerica.com](mailto:sales@laboamerica.com)

[www.laboamerica.com](http://www.laboamerica.com)

With a policy of continuous development, Labo America, Inc. reserves the right to change design and specifications without prior notice.



**LABOMED** 

Distributor



100 Lauman Lane, Suite A, Hicksville, NY 11801  
Tel: (877) 877-7274 | Fax: (516) 801-2046  
Email: [Info@nyscopes.com](mailto:Info@nyscopes.com)  
[www.microscopeinternational.com](http://www.microscopeinternational.com)